



TAXI & GENERAL COMMITTEE

REPORT BY LICENSING OFFICER

DATE OF MEETING: 24th November 2017

1.	Premises	Bryn Meadows Golf Hotel & Spa Maesycwmmer Ystrad Mynach Caerphilly NP12 2RB
2.	Applicant:	Stephen Brian Mayo
3.	Nature of application (copy of application and plans attached)	Application for the approval of a premises as a venue for civil marriages and the registration of civil partnerships under the Marriage Act 1949 and Civil Partnerships Act 2004.
4.	Description of room(s) in which the proceedings are to take place	Beacons Room Barn Room Captains Room Marquee – Fairway Suite
5.	Other licences and conditions (if appropriate)	Premises licence under the Licensing Act 2003, including the Supply of Alcohol and Regulated Entertainment.
6.	Relevant Consultees	Fire Officer Health & Safety Local Superintendent Registrar No objections received
7.	Other Persons	None

8.	Observations	<p>The Committee must be satisfied that the building or rooms are a seemly and dignified venue for proceedings and be regularly available to the public for use for the solemnization of marriages or the formation of civil partnerships.</p> <p>In addition, the Committee shall have regard to the Councils' local conditions, which the authority considers appropriate to ensure the facilities provided at the premises are suitable.</p> <p>The Committee can:</p> <ul style="list-style-type: none"> • Grant the application which is subject to the standard conditions and local conditions. Copies of which are attached to this report as Annex A and B. • Refuse to grant the application and notify the applicant of the right to seek a review of its decision.
----	--------------	--

Statutory power - this is a Council function which is delegated to this Committee to decide.

Background Papers: These are attached to this report.

Date of this report: 17th November 2017

Author: Mrs K Hopkins



MARRIAGE ACT 1949

CIVIL PARTNERSHIP ACT 2004

**APPLICATION FOR SECULAR PREMISES TO BE APPROVED AS A VENUE
FOR MARRIAGES IN PURSUANCE OF SECTION 26(1)(bb) OF
THE MARRIAGE ACT 1949 AND CIVIL PARTNERSHIPS IN PURSUANCE OF SECTION 6(3A)(a)
OF THE CIVIL PARTNERSHIP ACT 2004**

This application must be made by the Proprietor or a trustee of the premises. If successful, the applicant will be the holder of the Approval.

This application, when completed, must be forwarded to the Licensing Section, Penallta House, Tredomen Park, Ystrad Mynach, Hengoed, CF82 7PG, together with a non-returnable fee payable to Caerphilly County Borough Council.

For all questions, please continue on a separate sheet if necessary, identifying clearly which questions you are answering.

1. I/We apply for the premises named at item 2 overleaf to be approved for regular use by the public as a venue for the solemnization of marriages and for the registration of civil partnerships.
2. I/We attach three copies of a plan of the premises showing the room(s) in which it is intended that marriages and civil partnerships will take place.
3. I/We understand that -
 - (a) the premises will be inspected for suitability before approval is granted and, if this application is successful, may be subject to subsequent inspection;
 - (b) public notice of the application will appear on the Authority's website for a period of 21 days for objections, and the Authority may also decide to publish it in other ways if it considers it necessary to do so;
 - (c) approval, if granted, will be for a five year period, subject to revocation; and,
 - (d) the Authority will need to be satisfied that appropriate health and safety provision and fire safety is in place.
4. I/We declare that -
 - (a) I/We have read and understood the information contained in this form and confirm that the premises comply with the requirements contained in Annexes, A, B, C and D.
 - (b) the premises are not religious premises;
 - (c) the premises are not a register office (or, where a register office is situated in the premises that this not the room that is the subject of this application); and
 - (d) I/We have consulted the planning authority as to whether planning consent is required and attach evidence that it is content that the premises may be used for marriages and civil partnerships.
5. I/We further declare that, if approval is granted -

1. The Applicant – Please complete as either an individual or company

The Applicant – Individual(s)

Surname: MAYO

Forenames: STEPHEN BRIAN

Any previous names: _____

Private address (including postal code): _____

1 MEADOWGATE BLACKWOOD GWENT NP12 2RB

Telephone number: 01495 220599

2. The Applicant – Company

Name of Company: BRYN MEADOWS

Company Trading Address (including postal code):

BRYN MEADOWS GOLF HOTEL + SPA, MAESYCWMMER,

XSTRAD MYNACH, CAERPHILLY, CF82 7SN

Telephone number: 01495 233500

If the application is made by a limited company (or other incorporated business), please give the address of the registered office if different to Trading Address above and a list of the names and addresses of all the directors.

AS ABOVE

3. If the Applicant is not the responsible person, please give details of that person.

Name: GAUVYN BOLTON

Address (including postal code): 25 Tinfkins Close Pontllantraeth

Blackwood, Caerphilly NP12 2LY

Position held: GENERAL MANAGER

Telephone Number: 07867433444

4. The Premises

Name: BRYN MEADOWS GOLF HOTEL + SPA

Address (including postal code):

MAES/CWMMER, YSTRAD MYNACH, CAERPHILLY, CF82 7SN

Telephone Number: 01495 225590

5. Please describe the nature of premises referred to in question 2 (e.g. hotel, stately home, civic accommodation) and the primary and other uses to which it is regularly put

HOTEL, GOLF COURSE, SPA, RESTAURANTS, BARS

6. Please describe the room(s) it is proposed to use for the conduct of Civil Marriages/Civil Partnerships

PRIVATE FUNCTION SUITE, SELF CONTAINED, BAR, CLOAKROOM,
TOILETS, KITCHEN — MARQUEE

7. Is the person or company named in reply to question 1, the occupier of the premises?

NO

8. If the answer to question 4 above is 'no' and there is another occupier, please give their name(s) and address(es)

Name: _____

Address (including postal code): _____

Telephone Number: _____

Name: _____

Address (including postal code): _____

Telephone Number: _____

9. Please state the maximum number of people permitted by the premises fire risk assessment to occupy each room in which the proceedings are intended to be held.

350

10. Does the premises currently have the benefit of any licence issued under the Licensing Act 2003 which may be relevant to this application (e.g. for the provision of regulated entertainment)? If so please attach a copy



Data Protection Act 1998 - personal data supplied in connection with this application will be processed in accordance with the Data Protection Act 1998 by Caerphilly County Borough Council for the purposes of administration of licensing and maintenance of official registers, some of which are required to be made publicly available by law

National Fraud Initiative (NFI) - This authority is under a duty to protect the public funds it administers and ensure applicants are legally entitled to work in the UK. We may therefore use the information you have provided on this form for the prevention and detection of fraud and to check entitlement to work. We may also share this information with other bodies responsible for auditing or administering public funds for these purposes. For further information on NFI, see the Council's website <http://www.caerphilly.gov.uk/My-Council/Data-protection-and-freedom-of-information> , or contact the Corporate Information Governance Unit at foi@caerphilly.gov.uk For more information on licensing and entitlement to work, contact Licensing on 01443 866750.

Captains room

Captains room is used for capturing
worm when not in use for Cull Merges
If Captains room is used a bedroom
is available

[Signature]
9th June 2015



CAERPHILLY COUNTY BOROUGH COUNCIL	
DIRECTORATE OF THE ENVIRONMENT	
No.	
DATE REFERRED	22 MAY 2012
DATE ANSWERED	
REFERRED TO	

PART 2 OF FIRE CERTIFICATE
AS ISSUED BY THE SOUTH WALES FIRE SERVICE
IN THE SERVICE IN PURSUANCE OF
THE FIRE PRECAUTIONS ACT 1971


PART 1 OF THE CERTIFICATE
SHOULD BE KEPT IN A PROMINENT PLACE
AND SHOULD BE AVAILABLE FOR INSPECTION
BY THE FIRE SERVICE AT ALL TIMES
AND BY ANY PERSON WHOSE DUTY IT IS TO
CHECK THE COMPLIANCE OF THE PREMISES
WITH THE REQUIREMENTS OF THE ACT

1	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
2	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
3	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
4	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
5	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
6	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
7	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
8	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
9	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
10	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
11	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
12	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
13	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
14	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
15	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
16	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
17	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
18	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
19	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE
20	THE BUILDING	THE BUILDING IS USED AS A RESIDENCE

LOCATION
THE BRYN MEADOWS GOLF CLUB
THE BRYN, HENGDDED
CAERPHILLY

DATE OF ISSUE
23/05/2012

SOUTH WALES FIRE SERVICE



PROPOSED SITE PLAN - 1:500

ALL DIMENSIONS TO BE CHECKED ON SITE
 ON THE DATE OF THE DRAWING.
 ALL DIMENSIONS TO BE REPORTED ACCORDING TO
 CONVENTION

KEY

- BUILDING BOUNDARY
- ▭ MARQUEE BUILDING
- ▨ BLOCK PAVING FLOORING
- ▧ PAVED FLOORING
- ▩ TARMAC SURFACE
- ← PEDESTRIAN ACCESS
- ↔ VEHICLE ACCESS
- - - EXISTING FW DRAINAGE
- · - · - PROPOSED FW DRAINAGE

A. Drainage to be added. 04/05/17 MP

No.	Revision Description	Date	By

CLIENT
 GARY MAYO

EPT PARTNERSHIP
 ARCHITECTS
 11 DEERINGTON ROAD
 GANTON, CANTON, CO. DUBLIN
 TEL: 01 204 284 956
 FAX: 01 204 284 972
 www.eptpartnership.com

PROJECT
 BRYN MEADOWS
 MARQUEE WORKS


TITLE
 PROPOSED SITE PLAN

Drawn: MP Date: 26/05/17 Checked: MTF
 Scale: Original sheet size: 1:500 A3

DRAWING STATUS

- Design Development
- Tender
- Design Development to Pre-Construction
- Construction
- As-built

Project No. 11010 Drawn By: MP Checked By: MTF Date: 26/05/17
 Drawn No. 1003 Revision: A



PROPOSED MARQUEE FLOOR PLAN - 1:200

All dimensions to be checked on site to be scale, no drawing discrepancies to be reported without the contractor's consent.

No.	Revision/Description	Date	By
	CLIENT		
	GARY MAYO		

EPT PARTNERSHIP

A R C H I T E C T S
P E N S I L V A N I A
17 CEN. RESTON ROAD
LANTON PARTNERSHIP
TEL: 025 221 244 999
FAX: 025 221 244 942
e: g.mayo@eptpartnership.com
www.eptpartnership.com

PROJECT
BRYN MEADOWS
MARQUEE WORKS


TITLE
PROPOSED MARQUEE
FLOOR PLAN

Drawn: MP Date: 26/01/17 Checked: MT
Scale: Original sheet size:
1:200 A3


DRAWING STATUS

- Design/Development
- Tender
- Design/Development/Pre-Construction
- Construction
- As-Built


Project No: 11010 Drawn by: Revision: 1004




PROPOSED FLOOR PLAN - 1:100




DETAIL 1 - GENERAL ARRANGEMENT SECTION - 1:50



DETAIL 2 - TYPICAL SLAB EDGE - 1:10



DETAIL 3 - INT/EXT WALL ABUTMENT - 1:10



DETAIL 4 - METSEC WALL / SOFFIT - 1:20

GENERAL KEY

- FR30 rated door with intumescent and smoke seals
- VP Internal door with vision panels
- SPEC Internal door provided by marquee specialist supplier
- FC Final Exit Door
- FR30 fire rated partition / fire doors
- Full-height internal partition to Marquee specialist design
- Internal drainage shown Indirectly, Refer to M&E specification for details
- Hidden channel drain or similar to connect into storm water drainage all to CM / Structural Engineers design
- Extent of enclosed FR30 rated areas where both Metsec ceiling joists and partitions / Brings below to receive single layer of 15mm plasterboard
- Extent of enclosed FR30 rated areas where both Metsec ceiling joists and partitions / Brings below to receive 2x15mm layers of 15mm plasterboard
- 100mm diameter ducts within slab for data and power cabling. Refer to SE drawings for further details
- 50mm diameter ducts within slab for data and power cabling. Refer to SE drawings for further details

HAS NOTES

- No access for maintenance or storage on deck above enclosed areas at any time

CLIENT
GARY MAYO

PROJECT
BRYN MEADOWS MARQUEE WORKS

TITLE
PROPOSED MARQUEE FLOOR PLAN

Scale: Original sheet size: 1:200 @ A3 & 1:100 @ A1

DRAWING STATUS

- Design Development
- Tender
- Design Development Pre-Construction
- Construction
- Record

Project No: 11010 **Dwg No:** 2004 **Revision:** B



CONDITIONS TO BE ATTACHED TO GRANTS OF APPROVAL OF PREMISES THAT ARE NOT RELIGIOUS PREMISES

The authority must attach the following standard conditions from Schedule 2 to the Regulations to any approval. Proceedings mean the solemnization of a marriage or the registration of a civil partnership and does not refer to any other activities on the premises.

1. The holder of the approval must ensure that there is at all times an individual with responsibility for ensuring compliance with these conditions ("the responsible person") and that the responsible person's occupation, seniority, position of responsibility in relation to the premises, or other factors (his "qualification"), indicate that he is in a position to ensure compliance with these conditions.
2. The responsible person or, in his absence, an appropriately qualified deputy appointed by him, shall be available on the premises for a minimum of one hour prior to and throughout each of the proceedings.
3. The holder must notify the authority -
 - (a) of his name and address immediately upon him becoming the holder of an approval under regulation 7(2), and
 - (b) of the name, address and qualification of the responsible person immediately upon the appointment of a new responsible person.
4. The holder must notify the authority immediately of any change to any of the following -
 - (a) the layout of the premises, as shown in the plan submitted with the approved application, or in the use of the premises;
 - (b) the name or full postal address of the approved premises;
 - (c) the description of the room or rooms in which the proceedings are to take place;
 - (d) the name or address of the holder of the approval; and,
 - (e) the name, address or qualification of the responsible person.
5. The approved premises must be made available at all reasonable times for inspection by the authority.

6. A suitable notice stating that the premises have been approved for the proceedings and identifying and giving directions to the room in which the proceedings are to take place must be displayed at each public entrance to the premises for one hour prior to and throughout the proceedings.
7.
 - (1) Save as provided below, no food or drink may be sold or consumed in the room in which proceedings take place for one hour prior to or during those proceedings.
 - (2) Non-alcoholic drinks may be consumed prior to the proceedings.
8. All proceedings must take place in a room, which was identified as one to be used for that purpose on the plan submitted with the approved application.
9. The room in which the proceedings are to take place must be separate from any other activity on the premises at the time of the proceedings.
10. The arrangements for and content of the proceedings must meet with the prior approval of the superintendent registrar of the district, or the registration authority of the area, as the case may be, in which the approved premises are situated.
11.
 - (1) Any proceedings conducted on approved premises shall not be religious in nature.
 - (2) In particular, the proceedings shall not:
 - (a) include extracts from an authorised religious marriage service or from sacred religious texts;
 - (b) be led by a minister of religion or other religious leader;
 - (c) involve a religious ritual or series of rituals;
 - (d) include hymns or other religious chants; or
 - (e) include any form of worship.
 - (3) But the proceedings may include readings, songs or music that contain an incidental reference to a god or deity in an essentially non-religious context.
 - (4) For this purpose, any material used by way of introduction to, in any interval between parts of, or by way of conclusion to the proceedings shall be treated as forming part of the proceedings.
12. Public access to any proceedings in approved premises must be permitted without charge.
13. Any reference to the approval of premises on any sign or notice, or on any stationery or publication, or within any advertisement may state that the premises have been approved by the authority as a venue for marriage in pursuance of section 26(1)(bb) of the Marriage Act 1949, and the formation of civil partnerships under section 6(3A)(a) of the Civil Partnership Act 2004 but shall not state or imply any recommendation of the premises or its facilities by the authority, the Registrar General or any of the officers or employees of either of them.

14. If a change of name to the approved premises occurs after the issue of the certificate for marriage or the civil partnership document, but before the proceedings, the former name of the approved premises as recorded in the certificate for marriage or the civil partnership document shall remain valid for its duration for the purpose of the proceedings.



Annex B

The licensing authority is entitled under the legislation to impose local conditions as it thinks reasonable.

Premises must have the following:

1. Satisfactory disabled access.
2. Adequate tables and chairs must be available for Registration Officers and the parties being married, or registering their civil partnership, including seating for the majority of guests.
3. An additional room must be available for the interview of the parties prior to the ceremony.
4. Toilet facilities must be available.
5. Car parking spaces for Registration Staff must be guaranteed.
6. Absence of noise from other activities.
7. Any music played before or during the ceremony must have prior consent of the Registration Officers.
8. The recommendations of the Divisional Fire Safety Officer (where applicable)